



## Cas 2322-77-2 Chemical Intermediates Methoxydienone Raw Powder

Our Product Introduction

for more products please visit us on [bodybuild-supplement.com](http://bodybuild-supplement.com)

### Basic Information

- Place of Origin: China
- Minimum Order Quantity: 10Grams
- Price: USD
- Packaging Details: 1kg/Foil Bag
- Delivery Time: 3-7days after received payment
- Payment Terms: T/T, Western Union, PayPal
- Supply Ability: 5000KG Per Year



### Product Specification

- Product Name: Methoxydienone
- Cas: 2322-77-2
- Appearance: Yellow Powder
- Purity: 99%
- Usage: Chemical Intermediate
- Highlight: **2322-77-2 Chemical Intermediates, Methoxydienone Chemical Intermediates**



## Product Description

### Good Quality Cas 2322-77-2 Methoxydienone Raw Powder On Sale

Product Name: metthoxydienone

Synonyms: metthoxyDIENONE; 13-ethyl-3-metthoxy-gona-2, 5(10)-dien-17-one 90%

CAS No: 2322-77-2

Assay: 99%

EINECS: 219-034-4

Molecular formula: C<sub>20</sub>H<sub>28</sub>O<sub>2</sub>

Molecular weight: 300.44

Melting point: 150-160 °C.

Packing: 1kg net/foil bag or 10kg net/tin.

Appearance: White crystalline powder

Grade: Pharmaceutical Grade

#### Description:

metthoxydienone is specially used to synthesize levonorgestrel by a process. Levonorgestrel is a rapid, short-term oral contraceptive. The contraceptive mechanism is to obviously inhibit ovulation and prevent embryo implantation, and can increase cervical The consistency of mucus increases the penetration resistance of sperm, thus acting as a quick-acting contraceptive.

Levonorgestrel is a man-made hormone used in many methods of birth control. Effective as emergency contraception for 120 hours.

metthoxydienone is also combined with to make combined oral contraceptives. It is effective in preventing pregnancy in the long term.

Implantable levonorgestrel is also available in some countries.

metthoxydienone is specially used to synthesize levonorgestrel by a process. Levonorgestrel is a rapid, short-term oral contraceptive. The contraceptive mechanism is to obviously inhibit ovulation and prevent embryo implantation, and can increase cervical The consistency of mucus increases the penetration resistance of sperm, thus acting as a quick-acting contraceptive.

#### Application:

metthoxydienone, Max LMG can cause quick "wet" gains due to its progestogenic properties. Great for those who need to gain weight fast and don't care about obesity.

metthoxydienone is used to promote protein synthesis and reduce the breakdown of amino acids, and is used to improve muscle hypertrophy, function and enhance male characteristics.

metthoxydiketene is commonly used in medical practice for chronic wasting disease. Max LMG is an excellent unmethylated prohormone that provides muscle hardening and increases muscle mass.

metthoxydiketene is used to promote protein synthesis, reduce amino acid decomposition, improve muscle hyperplasia, and enhance male characteristics. metthoxydiketene is commonly used in medical practice for chronic wasting disease. Doses above 500 mg per week are less likely to have side effects, especially if they get into the 600 mg per week range, and almost certainly if they go above 700 mg per week.

Regardless of the dosage, most people will find 8 weeks to be quite effective, with 12 weeks usually being what you want. If your menstrual cycle is extended beyond 12 weeks, it is usually best to replace Tren with another anabolic hormone to keep progress; yes, our bodies will adapt.

#### Usage:

##### 1) Oral contraceptives

At low doses, metthoxydienone is used in monophasic and triphasic formulations of combined oral contraceptives, with available monophasic doses of 100-250 µg and triphasic doses of 50 µg/75 µg/125 µg.

##### 2) Emergency birth control

metthoxydienone is used in emergency contraceptive pills (ECPs), either in the Yuzpe combination regimen that includes, or as a levonorgestrel-only method. A levonorgestrel-only approach using levonorgestrel 1.5 mg (single dose or two 0.75 mg doses 12 hours apart) taken within 3 days, in one study, It may be effective when started 120 hours (5 days) after intercourse.

##### 3) IUD metthoxydienone is the active ingredient in the Mirena & Skyla (Jaydess) intrauterine system.

##### 4) The contraceptive implant metthoxydienone is the active ingredient in Norplant and Jadelle.

##### 5) Hormone replacement therapy metthoxydienone combined with 17-estradiol in an patch.



 RedBird **WuHan RedBird Biotech Co.,Ltd.**



+8613343428632



Tommy@redbirdbio.com



bodybuild-supplement.com

HanYang District JiangDi Road Wolong Ink Lake Aside